

CERTIFICATE OF ELECTRONIC TRANSMISSION

I hereby certify that this correspondence for Patent No. 7,166,126 is being electronically transmitted to the U.S. Patent and Trademark Office, via EFS-WEB, on May 10, 2007

/Kevin G. Rooney/
Kevin G. Rooney, Reg. No. 36,330

May 10, 2007
Date

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of: Paul A. Spence
Patent No.: 7,166,126
Issue Date: January 23, 2007
Title: HEART VALVE REPAIR APPARATUS AND METHODS
Confirmation No.: 5321
Atty Docket No.: SPEN-03C

Cincinnati, OH

May 10, 2007

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKES**

It is respectfully requested that a Certificate of Correction be issued for the patent identified in the heading. The patent contains errors that occurred through the fault of the Patent Office as follows:

This request is made under 37 C.F.R. § 1.322 to correct these mistakes.

Title Page at [75], delete "Mark Ortiz, Milford, OH (US)".

Column 1, line 39, change "it" to --its--.

Column 2, line 62, change "fixed the" to --fixed - the--.

Column 3, line 30, change "provides" to --provide--.

Column 8, line 27, change "courling" to --coupling--.

Column 8, line 28, change "courling" to --coupling--.

Column 11, line 21, change "resrective" to --respective--.

Column 12, line 46, change "support" to --supported--.

Column 12, line 58, change "suitable" to --suitably--.

Column 13, line 19, change "or" to --of--.

Column 13, line 59, after "way" insert --of--.

Column 14, lines 23-24, delete "However, the invention itself should only be defined by the appended claims, wherein we claim:"

In accordance with the established procedure for handling such certificates, a Form PTO-1050 (Rev. 2-93) is enclosed herewith listing the errors.

Should any additional fees be required, authorization is hereby given to charge such fees to deposit account 23-3000.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P

/Kevin G. Rooney/

Kevin G. Rooney

Reg. No. 36,330

2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202
(513) 241-2324

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,166,126

Page 1 of 2

DATED : January 23, 2007

INVENTOR(S) : Paul A. Spence

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page

Title Page at [75], delete "Mark Ortiz, Milford, OH (US)".

Column 1

Line 39, change "it" to --its--.

Column 2

Line 62, change "fixed the" to --fixed - the--.

Column 3

Line 30, change "provides" to --provide--.

Column 8

Line 27, change "courling" to --coupling--.

Line 28, change "courling" to --coupling--.

Column 11

Line 21, change "resrective" to --respective--.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

PATENT NO. 7,166,126
No. of add'l copies
@ 50¢ per page:

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,166,126

Page 2 of 2

DATED : January 23, 2007

INVENTOR(S) : Paul A. Spence

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12

Line 46, change "support" to --supported--.

Line 58, change "suitable" to --suitably--.

Column 13

Line 19, change "or" to --of--.

Line 59, after "way" insert --of--.

Column 14

Lines 23-24, delete "However, the invention itself should only be defined by the appended claims, wherein we claim:"

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

PATENT NO. 7,166,126
No. of add'l copies
@ 50¢ per page: